




GD-W Temperature sensor

GD-W series

Analog

- + Adopt mature and stable platinum resistance temperature measuring element.
- + With short circuit protection and reverse polarity protection.
- + A temperature detector with a wide range of application temperature.
- + Accuracy of PT100 A class.
- + Widely used in oil, chemical, electric power, building materials, machinery and other industries, gas and fluid temperature detection and control.




TECHNICAL PARAMETER



TECHNOLOGY PERCEIVES THE FUTURE

Temperature range	0 ~100°C (Customizable)
Temperature measurer	PT100
Measuring rod outer diameter	Φ6mm,Φ8mm(Customizable)
Supply voltage	24(12~32)VDC
Output signal	4~20mA (two-wire system)
Measurement accuracy	±2.5%F.S.
Sheathing material	304 Stainless steel
Protection grades	IP65
Procedure linkage	G1/2"、G3/4" and other external threads(Customizable)
Electrical connection	Hirschmann joint,D4 aerial plug-in male head,M12×1


ITEM	CATEGORY	PARAMETER
------	----------	-----------

GD-W - Hirschmann joint

Wiring definition

pin	1	2	3	4
two-wire system	+24VDC	Signal output	NC	NC



GD-W - D4 Air plug-in male head

Wiring definition

pin	1	2	3	4
two-wire system	+24VDC	NC	Signal output	NC



Order code

TECHNOLOGY PERCEIVES THE FUTURE



Model selection | Model: GD-W-P-0050M-06-0/100-G34-HP00-A01

Explanation: GD-W temperature sensor,PT100 A class,measuring rod length 50mm,measuring rod diameter 6mm,temperature measuring range 0-100degrees,installation thread G3/4,hirschmann joint outlet,4mA...20mA current output(two-wire system).

Felix-Wankel-Str.1, 85221 Dachau, Germany

Tel: +49 (0) 8131 337578-0

E-mail: info@tbfsensor.de

TBF Electronic Technology GmbH(German branch)

Building 6, Dazu Enterprise Bay,
8th yard of Liangshuihe 2nd street, BDA P.R.China

Tel: +86 10-67948976 67948916

Fax: +86 10-67948979

Beijing Tebeifu Electronic Technology Co., Ltd.

www.tbfsensor.com